REMOTE VIEW

PC Internet Monitoring

4 PORT PCI CARD DVR
WITH 4 DAY/NIGHT INDOOR OUTDOOR COLOR CAMERAS

PROSERIES

Lorex QLR 400 Series

PCI cards, cameras and video management software turns your Personal Computer (PC) into a professional grade CCTV system – with the ability to view, record and control video from any remote location via the Internet.

FEATURES

- 4 channel (camera) triplex DVR PC Card solution (view, record, playback simultaneously)
- Local and Remote Monitoring Capability
- Digital Recording of live video to PC's hard drive
- View up to four locations simultaneously
- Compatible with Windows operating system
- Remote viewing options: Quad / Full Screen / Sequencing
- Individual selection of security alarm features
- Digital freeze and zoom-in
- Easy search and playback of digitally recorded video
- Password security protection
- 4 color cameras, cables (60ft), stands and power supply
- 11 IR LEDs provides effective night vision range of 12ft (4M)

Designed for
Microsoft®
Windows®XP
Windows®2000

WINDOWS VISTA™ COMPATIBLE

◎ LOREX®

QLR0444

w w w . l o r e x c c t v . c o m

SPECIFICATIONS:

4 PORT PCI CARD:

Video Input:	4 ch (RCA), NTSC/PAL
Display Speed:	30fps (4ch)
Split Screen:	1, 4
Recording Speed:	30fps (4ch) @ 320 x 240
Resolution:	320 x 240 / 640 x 480
Recording Modes:	Motion Detection, Schedule, Continuous
Playback Display:	1, 4
Search Modes:	Date, Time, Channel, Event
Network Transmission Speed:	Real-Time
Remote View:	Via client software
Dynamic IP Support:	Yes
Supported O/S:	Windows 2000, XP, Vista

CAMERA:

|	
Image Sensor:	1/3" Colom CMOS
Resolution:	330 TV Lines
Minimum Illumination:	3.0 Lux
Built-in IR LED:	11 IR LED (850nm Type) for Night Vision
Power Source:	7.5 V DC
Current Consumption:	180 mA
Operating Temp Range:	-10°~50° C / 14° ~ 122° F
IP Rating:	IP 44, weather resistant

MINIMUM SYSTEM REQUIREMENTS:

- **Pentium III or higher processor**
- **Microsoft Windows operating system**
- **Optical drive**
- **256 MB RAM**
- **Separate video card with 64MB minimum (broadband internet connection required for remote connection)**

Suitable for a variety of security surveillance applications:

- **Residential:**
  digitally record from cameras positioned at the front door, garage, driveway or pool – with the ability to view locally or remotely.

- **Manufacturing:**
  monitor and digitally record mechanical processes, or use for security purposes.

- **Multiple business owner:** cost effective solution for viewing multiple locations from a remote computer.

DIMENSIONS:

PACKAGE INFORMATION:

Weight:	12.5 lbs /5.66 kgs
Dimensions:	11.75 X 7.75" X 9.75" / 298mm X 197mm X 248mm (W x H x D)
UPC:	7-78597-01444-0
Cube:	0.013 CBM / 0.461 ft
Includes:	PCI card and mounting screws,Power cable and connector bundle, 4 cameras & 4 x 60ft. cablesm QSG, Serialized Application CD, Warranty card

Lorex Technology Inc.

300 Alden Road, Markham,
Ontario L3R 4C1
Canada.

3700 Koppers Street, Suite 504
Baltimore, Maryland 21227,
USA.

©2007 Lorex Technology Inc.

As our product is subject to continuous improvement, Lorex Technology & subsidiaries reserve the right to modify product design, specifications & prices without notice and without incurring any obligation. E&OE

0-01062007

Free Manuals Download Website

http://myh66.com

http://usermanuals.us

http://www.somanuals.com

http://www.4manuals.cc

http://www.manual-lib.com

http://www.404manual.com

http://www.luxmanual.com

http://aubethermostatmanual.com

Golf course search by state

http://golfingnear.com

Email search by domain

http://emailbydomain.com

Auto manuals search

http://auto.somanuals.com

TV manuals search

http://tv.somanuals.com