



MODEL CVA6960-100 100FT UNIVERSAL SURVEILLANCE CAMERA EXTENSION CABLE

English Version 1.0



100 ft. High Performance Surveillance Camera - 6-PIN DIN Extension Cable



6-pin DIN Female to BNC Male/RCA Male Coupler

THIS PACKAGE CONTAINS:

- 1 x 100 ft. High Performance Surveillance Camera Extension Cable
- 1 x RCA Female to Lorex 6-Pin DIN Male Coupler
- 1 x 6-pin DIN Female to BNC Male/RCA Male Coupler
- 1 x BNC Male to RCA Male adapter
- 1 x BNC Female to RCA Male adapter



1 x BNC Male to RCA Male adapter
1 x BNC Female to RCA Male adapter



RCA Female to 6-pinDIN Male Coupler

FEATURES


- Extends and/or Connects Lorex or **Any Other Surveillance Camera with RCA or BNC Outputs** to any Monitoring or Recording Device
- Extends and/or Connects Any Lorex Camera with 6-pin DIN Output to any Lorex Monitoring, Recording or Surveillance System
- Enables you to place the Camera Almost Anywhere

NOTE: If you are connecting a Lorex branded 6-pinDIN camera to a non 6-pin DIN device, please check camera power requirements as you may need to purchase a regulated power supply which meets the camera's power requirements.

DIN EXTENSION CABLE CONNECTIONS

The 100' 6-Pin DIN Extension cable can be connected directly between any Lorex 6-Pin DIN type camera and any Lorex 6-Pin DIN Observation System or DVR with 6-Pin DIN Ports.

- Connect to the Camera 6-Pin **DIN** Port
- Connect to the Observation System / DVR 6-Pin **DIN** Port




6-PIN DIN FEMALE TO BNC MALE / RCA MALE COUPLER / FEMALE BARREL POWER CONNECTION

This Coupler Cable is used to convert a DIN Camera into BNC outputs.

NOTE: A regulated power supply will be required.


- Connect to any Observation System / DVR **AUDIO IN** Port.
- Connect to the Observation System / DVR **BNC** Video Port (Also can be connected to an RCA Video Port by using the supplied BNC/RCA Coupler).
- Connect to a regulated **Power Supply** rated for the Camera.




RCA AUDIO / VIDEO FEMALE / MALE POWER BARREL TO 6-PIN DIN MALE COUPLER CONNECTIONS

This Coupler Cable is used to convert an RCA or BNC Camera into a 6-Pin DIN output.

NOTE: A regulated power supply will be required.









BNC / RCA ADAPTERS



SPECIFICATIONS	
UPC:	7-78597-16960-7
Weight:	1.4 kg / 3.1 lbs
Dimensions: (W x H x D)	10.5" x 12.0"x " x 2.8" 267mm x 305mm x 72mm
Cube:	0.0057 cbm

It's all on the web

-  Product Information
-  Specification Sheets
-  User Manuals
-  Software Upgrades
-  Quick Start Guides
-  Firmware Upgrades

VISIT
www.lorexcctv.com

LOREX Technology Inc.
Copyright © 2008 LOREX Technology Inc. As our products are subject to continuous improvement, LOREX and its subsidiaries reserve the right to modify product design, specifications and prices, without notice and without incurring and obligation. E&OE.



Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>