



Park Pro 16 4WD

Cutting grass with a four wheel drive front mower gives you a sense of total freedom - choose any path you like on the lawn. The machine is very gentle to the turf, leaves no marks, even on wet slopes.

As always the Front mounted cutting deck provides better over-view and easier accessibility. The genuine articulated steering offers unsurpassed manoeuvrability. The rear wheels always follow the track of the front wheels. You don't have to worry about the rear section.

New Combi Pro cutting decks with Multiclip and Rear discharge. Change without using tools. Three free rotating blades on pro boring boxes. Cutting deck are easily angled into a cleaning position without removing the belt.

This Frontmower is very well equipped. Hydrostatic speed control regulated with an adjustable foot pedal, mechanical servo steering, mechanical attachment lift. Ergonomic control panel with steples electric cutting height adjustment, hour meter, cruise control and lighting. Adjustable, springy seat with extra high backrest.

Park Pro 16 is an outstanding implement-carrier. You can easily change from a cutting deck or flail mower to a sweeper, snow blade or snow thrower. The list of implements is a long one. Equipt with new patented quick coupling for accessories.

PARK

PARK PRO 16 4WD



STIGA®

www.stiga.com

Park Pro 16 4WD (13-6241-43)

ENGINE

Brand	Briggs & Stratton Vanguard
Power	16 hp
Cylinders	2 cyl

FUEL

Type of fuel	Petrol
Tank volume	14 l

SPEED CONTROL

Type of transmission	KTM 10
Number of gears	Speed gear 0-11 km/h + R

STEERING

Type of steering	Genuine articulated steering
Servo assisted steering	Mechanical
Adjustable steering wheel	Yes
Articulated steering through chain/chain	Yes

WHEELS

Type of wheels	Stiga special lawn tyre tread
Wheel size	Front and rear 17 inches
Tyre pressure	Front 0,6 bar. Rear 0,4 bar
Driving	Four wheel drive
Snow chains	Accessory

CUTTING INFORMATION

Type of cutting system	Front cutting deck
Cutting width	95-125 cm
Cutting height adjustment	Electric with 95 Combi EI to 125 Combi Pro EI

CONTROLS

Cruise control	Yes
Deck connection	Quick coupling
Deck lift	Mechanical
Electric starter	Yes
El. cables for control of rear rake/sand spreader	Yes
Head light	Yes
Hour meter	Yes
Gear lever	Foot pedal
Choke	Separate

COLOUR & MATERIAL

Colour	Yellow / Grey
Material of chassis	Steel

MEASURES & WEIGHT

Weight	226 kg excl. cutting deck
Gross weight	269 kg excl. cutting deck
Package size WxHxL	92x100x201 cm
Largest measures WxHxL	135x125x255 cm with deck

SEAT

Type of seat	Comfort seat with extra high back support and arm rests
Seat adjustable horizontally	One hand grip

OTHER FACTS

CE-mark	Yes
Instructions for use	8211-0005-70 + 8211-0006-70
EAN bar code	7 313 321 303 006

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>