

Professional

**Super
Light**



Super Light

-25% lighter

P-SL Loppers with high precision

- Soft wood
- Very easy to handle
- Precise cut



Designed for soft wood such as in younger vineyards.

Narrow cutting head for precise cutting

P-SL2 Loppers with high tense/power

- Tough wood
- Evolving bevel
- Large cutting capacity



Designed for tough wood such as in older vineyards.

Two edged radii blade with evolving bevel for better durability and an easier cut in tough wood.

P52/53 Hedge shears very easy to handle

- Clean cut
- Very easy to handle
- For leaf pruning and topiary



Designed for leaf and clump pruning and topiary

The Evolving bevel® of the P-SL 2

Exclusively by Bahco Pradines

The evolving bevel technology utilised by the P-SL2 lopper range, improves the penetration of the blade in the wood and brings to the user a feeling of ease, quickness and efficiency during pruning activities. The evolving bevel reinforces the slicing motion of the Bahco Pradines blades. This evolving bevel technology is exclusive to Bahco Pradines, who are always looking for technical improvements for the professional user.





Thin grips for a perfect cutting action

Soft buffers for maximum comfort



Blade with evolving bevel



Centre bolt locking system for a secure fixing

P-SL2



Handles made of aerospace aluminium are extremely strong, yet very light



P-SL

Straight cutting head

Soft buffers for maximum comfort

Handles made of aerospace aluminium are extremely strong, yet very light

Thin grips for a perfect cutting action

An optimised pruning

Easy, fast, efficient


Straight cutting head

Centre bolt locking system for a secure fixing

Handles made of aerospace aluminium are extremely strong, yet very light

Thin grips for a perfect cutting action

Soft buffers for maximum comfort



Super Light



Product code	EAN code 731151+	Qty	Cutting capacity mm	Length cm	Weight g	Blade	Counter blade	Centre bolt	Handle bolts	Buffers
P-SL-40	8241605	2	30	40	581	R115V	R215V	R315V	R415V	R430V
P-SL-45	8241612	2	30	45	648	R115V	R215V	R315V	R415V	R440V
P-SL-60	8241629	2	30	60	864	R115V	R215V	R315V	R415V	R440V



Product code	EAN code 731151+	Qty	Cutting capacity mm	Length cm	Weight g	Blade	Counter blade	Centre bolt	Handle bolts	Buffers
P-SL2-40	8254551	2	30	40	781	R16V	R26V	R315V	R415V	R430V
P-SL2-50	8254568	2	30	50	791	R16V	R26V	R315V	R415V	R440V
P-SL2-60	8254575	2	30	60	801	R16V	R26V	R315V	R415V	R440V



Product code	EAN code 731151+	Qty	Cutting capacity mm	Length cm	Weight g	Centre bolt	Buffers
P52-SL-20	8269395	2	5	50	700	R146VC	R440V
P52-SL-25	8265007	2	5	55	785	R146VC	R440V
P53-SL-20	8265021	2	5	60	765	R146VC	R444V
P53-SL-25	8265014	2	5	65	850	R146VC	R444V

Spare parts



PRADINES®

Хххххх хох оохххх
Хохххх хох оох
охох хоххххх

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>